



THE BOOK OF

PEASE HOMES

FOR 1957

Your own home, like a symbolic diamond, should have lasting value as real as it is emotional.


Each represents a significant investment . . . each must offer tangible value . . . each must fulfill your family's fondest hopes, wishes, dreams.

To provide such enduring satisfaction a home must be *yours* exclusively, both in appearance and livability. Many families have found such gratification in planning and building their personalized Pease Homes.

In the following pages you will see how you can adapt a Pease Home to your own family's pattern of living . . . how you can choose from dozens of basic plans that which best suits your individual requirements.

Your home's final appearance will be a reflection of your own particular taste . . . its interior designed for the ultimate in comfort, charm and convenience . . . its exterior impressive to all who approach.

Proud heritage



for future generations

Leaf through this book.

See for yourself why PEASE HOMES are . . .

inside or out
without a doubt...


Homes of Distinction






A wonderful home to begin with!

The Cliffwood . . . introducing a series of homes of rectangular plans. It may well be the home for YOU. Designed for compactness, combined with efficiency . . . rooms ideally placed . . . all opening onto a small center hallway . . . so convenient, so accessible, so efficient. A living room nearly 20 feet long — unusual for a home of this overall size — combines with the dining room to provide an “L” . . . wonderful for parties. Plenty of room for informal meals in the kitchen, too.



plan **106** 36'-7" x 26'-3"
FOR BASEMENT




The CLIFFWOOD

... 2 bedroom home with large living area



*Do you appreciate those “extras”
that make life easier?*

Then note The Dalewood’s huge, sliding-door closets in each bedroom . . . its linen closet *within* the bathroom, for easy access to towels and supplies . . . broad shelves facing stairs to the basement, for holding “dead storage” items . . . sizeable kitchen and dining room . . . well-planned living room, with limitless decorating possibilities. Comfort . . . roominess . . . delightful characteristics of The Dalewood.



plan **114** 40'-7" x 26'-3"
FOR BASEMENT




The DALEWOOD

...spacious 2 bedroom rectangular plan

plan **134*** 36'-7" x 26'-3" FOR BASEMENT


plan **136** 40'-7" x 26'-3" FOR BASEMENT



If you like something "different" . . .

. . . discover the many unusual features in this two-bedroom Fairwood, planned for the family seeking a truly distinctive home. An entry hall with its own coat closet . . . living-dining area combined, for "open-up spaciousness" when there's company . . . a built-in china cabinet in the dining area . . . extra-large kitchen with L-shaped work center — providing lots of room for table and chairs, extra appliances, playpen. Separate back entry prevents drafts . . . permits children (and gardening grownups) to clean shoes before entering the kitchen.

*#134 has the same floor plan as #136 shown, only slightly modified in width, making principal rooms 2' narrower.



The FAIRWOOD


... 2 bedroom hospitality home




Is your family growing?

When you're in need of three bedrooms, this compact home fulfills your requirements. All three bedrooms are convenient to the bath and to each other . . . for closeness to the youngsters, wherever you're occupied. In the basementless plan (#141) there's space in the kitchen for automatic laundry and utilities . . . and also inside and outside storage. In plan #142, a convenient back entry leads directly to the basement, as well as the kitchen-dining area. Here is "today's living" at its very best!

plan 142 36'-7" x 26'-3"
FOR BASEMENT






The MAYWOOD

... 3 bedroom home for growing families




Do you favor an open effect?

You'll be impressed with The Oakwood's gracious flow of living areas into one big, roomy, unrestricted space . . . for activity . . . or relaxation. There's wonderful wallspace in the large square living room. And all three bedrooms open up into a center hallway . . . adjacent to each other, and to the conveniently located bath. For laundering . . . tinkering . . . or for guests' easy access to that recreation room you'll probably be wanting . . . the basement stairs couldn't be better placed. The Oakwood — a home with particular appeal for the family gaining enjoyment from doing things *together!*



plan **144** 40'-7" x 26'-3"

FOR BASEMENT





The OAKWOOD

... 3 bedroom home with spacious living area

"BEDROOMS THAT ARE BIG ENOUGH . . ."

See how easily a Pease Home bedroom accommodates twin beds . . . provides excellent wallspace . . . adapts to any decorating scheme.



Here is a MAYWOOD . . . with low-pitched roof . . . attached garage . . . boards and batten siding . . . nine glass wall sections combined to "open up" one end of the widened living room . . . narrow, gallery-type porch providing a sheltered entrance . . . all add distinction to the home's appearance.





An Early American effect, artfully achieved by brick, carried over to include fireplace chimney . . . color-contrasting outside blinds at windows and door . . . such small but important details as wrought iron porch rails and planter-supports contribute to the home's authenticity.



VARIATIONS
OF
RECTANGULAR
PLANS




"THERE'S SOMETHING WE'VE ALWAYS WANTED"...


Floor-to-ceiling windows . . . closet-space ingeniously introduced . . . add to the convenience and charm of this small dinette.

An all-brick exterior . . . the addition of fireplace, large side porch . . . point up the substantial feeling of this adapted DALEWOOD.





Vertical boards and batten siding with fieldstone accent . . . appealing hip roof with wide overhang . . . living room window-wall . . . wide planter under garage windows – give modern look to this adapted OAKWOOD plan.



VARIATIONS
OF
RECTANGULAR
PLANS

CLIFFWOOD • DALEWOOD • FAIRWOOD • MAYWOOD • OAKWOOD



"WINDOWS CAN BE WONDERFUL . . ."

. . . to "open up" a corner . . . take advantage of a view . . . give new interest to any room. Here rare beauty is contrived by combining full-length and ventilating glass wall sections . . . brick planter below. Accoustical tile ceiling cuts down noise considerably.




In the MAYWOOD, cleverly combined batten strips and variegated brick help achieve a long, low, ground-hugging effect . . . accentuated by the horizontal lines of garage doors, and the continuous line of the bedroom windows.





VARIATIONS OF RECTANGULAR PLANS


CLIFFWOOD • DALEWOOD • FAIRWOOD • MAYWOOD • OAKWOOD



In the MAYWOOD'S basement plan, there's a dinette . . . in its basementless slab plan, none. Owners of this home preferred slab construction – yet wanted a dining room. So they widened the home sufficiently to provide dining space – which at the same time enlarged their living room – and shifted storage space from inner hallway to garage.




plan **110** 36'-7" x 38'-3"
FOR BASEMENT



Privacy preferred . . . ?

There's complete separation of sleeping and living areas in The Hillwood, yet this popular home — like the other L-shaped homes that follow — offers spacious quarters for both phases of everyday life. Notice how the placement of basement stairs accomplishes two purposes: acts as a sound-buffer for bedroom quietude, and provides central access to the basement. Furthermore, backyard traffic flow is routed directly from kitchen door to bath or bedrooms. Best of all, there is master bedroom seclusion . . . seldom found . . . always appreciated.




The HILLWOOD

... an L-shaped 3 bedroom plan




Have you a flair for "living with a flair"?

Attractive to look at, convenient to live in — The Innwood has special appeal for those who favor out-of-the-ordinary features. Front and back doors both open into entryways . . . the front entry leading to either living or bedroom wing . . . back entry giving convenient, draft-free accessibility to both kitchen and basement. Such "plus" advantages as a china cabinet in the dining area . . . handy broom closet . . . broad shelves facing the basement stairs. Such desirable "basics" as an 18-ft. kitchen . . . master bedroom with twin closets. A sound plan for the growing family.



*#138 is identical with #140, illustrated, except for deduction of 2' in width of principal rooms.




The INNWOOD

...gracious living 3 bedroom home

plan **20*** 40'-7" x 36'-3" FOR BASEMENT


plan **120** 40'-7" x 38'-3" FOR BASEMENT




*A really long living room
for spacious, gracious living . . .*

There's a feeling of big-house roominess in The Kirkwood you're certain to admire . . . exemplified in its 21½ ft. living room . . . separate dining room . . . three bedrooms, each generously sized. Its inner corridor offers access to every room . . . expediting traffic . . . saving wear and tear on floor coverings. Abundant closet space includes deep-shelf storage behind the coat closet, to hold luggage, golf clubs, similar bulky articles. With its isolated bedroom section, The Kirkwood lends itself beautifully to the unperturbed, undisturbing entertainment of guests while the young fry slumber!

*The only difference in plans is that in #20, the living room and bedroom-2 are each 2' narrower than in #120, as shown.




The KIRKWOOD
... spacious L-shaped 3 bedroom home



plan **121** 44'-7" x 38'-3"
FOR CONCRETE SLAB

Two baths — a “must” for many . . .


Because it is the most universally popular of all Pease plans, three adaptations of The Longwood are available.* Reasons for such widespread popularity? A huge living room, with superb wallspace . . . full-sized dining room . . . spacious master bedroom with its own private bath . . . front entry hall, boasting a convenient coat closet . . . another extra closet nearby, to accommodate sports equipment, card tables — anything you please. Is it any wonder that so many happy homeowners enjoy this charming, comfortable symbol of their success?



plan **22** 44'-7" x 36'-3" FOR BASEMENT

plan **122** 44'-7" x 38'-3" FOR BASEMENT

*The three differ in that #122, shown, is 2' longer than #22; and the basementless #121 substitutes a utility closet for the basement stairs.





The LONGWOOD

... popular 2 bath, 3 bedroom L-shaped home





Brick combined with bevel and vertical siding makes this LONGWOOD appear to nestle into its landscaping . . . the big, open side porch adds to its comfortable, livable look.



"REFRESHMENTS ON THE TERRACE!"

Today's homes are designed for indoor-outdoor living. That's why terraces are so popular . . . give your Pease Home an outdoor living room nearly half the year.




VARIATIONS OF L-SHAPED PLANS





Rustic cedar siding . . . low in upkeep,
high in attractiveness . . . contributes to the
impressiveness of this LONGWOOD . . . with
added carport. The 34" overhang all around
is extra bad-weather protection.

A KIRKWOOD adaptation that's as smart inside as out . . . in appearance, in thoughtful planning. Notice how twin-sized activity room and garage were added. Result: one long, continuous roofline, for true contemporary beauty.





Another LONGWOOD, only this time set sidewise on narrow, hillside lot. Entire end of living room uses glass wall units. The garage is conveniently placed below, conforming to the terrain, adding to its accessibility. Brick chimney, stone wall are agreeable accents.




A spacious screened breezeway . . . inviting bay window . . . varied roofline . . . the warmth of brick, accented by full-length outside window blinds . . . "carriage lamp" . . . low fence, defining the entrance patio . . . make this conservative two-bath LONGWOOD home pleasing to look at – and mightly comfortable to live in.

VARIATIONS OF L-SHAPED PLANS

HILLWOOD • INNWOOD • KIRKWOOD • LONGWOOD



Ideally adapted to its wooded setting, this KIRKWOOD is given rustic appearance by a smart blending of redwood, stone, siding . . . spaciousness, by means of an open breezeway and double garage.




"AN OPEN DOOR TO HOSPITALITY . . ."

An entry like this spells "Welcome" to guests.




To the chaste simplicity of white batten strips are added small but important accents: a cupola on the garage roof, to balance the fireplace chimney . . . flowering window box . . . outdoor lamp. Inside, the kitchen and breakfast room are placed at the *front* of the home . . . a porch, ideal for summertime meals, behind them.



VARIATIONS OF L-SHAPED PLANS

HILLWOOD • INNWOOD • KIRKWOOD • LONGWOOD




Owners of this attractive home wanted a LONGWOOD — plus activity room and garage — with “country home” look. To achieve this, they connected the garage “coach house” to the home itself with a breezeway that directly adjoins the porch to the rear of the added “family room.” By enlarging the master bedroom, not only was an extra closet gained, but a more spacious entry, as well.

VARIATIONS OF L-SHAPED PLANS

HILLWOOD • INNWOOD • KIRKWOOD • LONGWOOD







An interesting adaptation of "L-shaped" floor plan, with many novel features. A small study adjoins the master bedroom. Dining room, kitchen and breakfast area are placed at the front of the house, to give living and activity rooms fuller privacy at the rear. An extra lavatory is accessible to activity room, utility room, kitchen and yard.



Once again, the LONGWOOD . . . appearing the narrow way on lot. The open porch has its own fireplace, backing up to the one in the living room and using the same flue. Here will be placed a permanent barbecue grill, for outdoor eating at its pleasantest. A 3-in-12 roof pitch and stained bevel siding perfect the setting.







plan **129** 44'-7" x 50'-3"
FOR CONCRETE SLAB

Four bedrooms, two baths, many closets — spell comfortable living . . .

Everything you could possibly want in a home — big rooms, and plenty of them to fulfill every need. Many families use the fourth bedroom for activities — sewing room, den, tv room, even a home office . . . its usefulness enhanced by the nearness of rear door and bath, just a step away. As for storage . . . there are 12 closets in this well-designed home. The Parkwood — a spacious, yet space-conserving plan for those whose lives are devoted to family, friends, fun and flourish!



plan **130** 44'-7" x 50'-3" FOR BASEMENT



The PARKWOOD

...vast 4 bedroom T-shaped home




*Do you have a liking
for contemporary design?*

An abundance of incoming light — a sense of living outdoors! This feeling of airiness is intensified by aluminum sliding glass doors opening onto the rear terrace . . . by high clerestory windows, lighting kitchen and Bath #2, and accenting the modern flat roofline. (A more conservative, yet still modern 3-in-12 pitched roof, with protective overhang, may be substituted, if preferred.) Masterful design makes all rooms directly accessible from hallway. An extra-long living room combines with dining and tv room to give an unbroken living area of more than 32 feet overlooking the terrace, for expansive indoor-outdoor living. Efficient corridor-type kitchen with snack bar. The Shorewood — epitome of modern design!

plan **131** 44'-7" x 42'-3" FOR CONCRETE SLAB

plan **132*** 44'-7" x 42'-3" FOR BASEMENT



*Plan #132 for basement is shown. The basementless #131 substitutes a utility closet for the basement stairway.



The SHOREWOOD

...smartly styled contemporary, 4 bedroom, 2 baths





plan **147** 76'-3" x 54'-7" FOR PARTIAL BASEMENT



plan **148** 76'-3" x 54'-7" FOR FULL BASEMENT

The perfect home for those who demand the very best


For city or country living, this modern mansion — the ultimate in luxurious spaciousness, and “conversation piece” features. Enter the Broadwood’s paved foyer . . . enormous living room with wood-burning fireplace . . . dining room in the grand manner, for huge parties and holiday gatherings . . . extra-large activity room, with floor to ceiling aluminum sliding glass doors, pass-through to kitchen, and its own game closet . . . lavatory nearby . . . last-word kitchen, with U-shaped work center and walk-in pantry . . . expansive outdoor terrace, reached from kitchen, dining and activity rooms . . . each oversized bedroom boasting two sliding-door closets . . . two full vanity baths. Here you will find an incomparable experience in lifetime contentment.

The versatility of the Broadwood plan is suggested by a few possible variations shown below.





The BROADWOOD
 ...luxurious, adaptable 7 room mansion




plan **149** 62'-6" x 50'-7" FOR PARTIAL BASEMENT

plan **150** 62'-6" x 50'-7" FOR FULL BASEMENT

An entirely new — tremendously appealing — Pease Home . . .

An imposing front courtyard greets visitors . . . provides seclusion . . . makes this a truly unusual home. There is distinct separation of living and sleeping, with a huge open central area for activities and dining. Panorama full-length windows front this section, while sliding doors open onto the terrace at the rear . . . and a well-placed closet accommodates a bar, tv, hi-fi equipment, card tables, or what you will. The Courtwood's enormous living room has one entire wall of windows; its oversized kitchen with built-in breakfast bar has ample room also for table and chairs. *Eight* big closets serve the bedroom wing. Baths are back-to-back, to cut plumbing costs . . . the inner bathroom gains light from its unique, obscure decorative glass, facing opening opposite the courtyard. Here is a home your family will really love living in!





The COURTWOOD

... 4 bedrooms, 2 baths, an imposing courtyard




plan **151** 40'-8" x 48'-7"

Three levels — three textures — four bedrooms!


This strikingly modern tri-level home combines bevel siding, brick, and exposed beams for an open effect that is modern simplicity at its best. All three levels are visible as you enter. Exposed beams add distinction to the tremendous living room, as do the enormous expanses of glass — a window wall at the rear, and in the front, a glass gable rising roof-high to the slanted studio-ceiling. A few steps down are the kitchen, large activities-dining room opening onto a rear terrace; a utility room; a bedroom and bath. From living room to upper level—an open, free-hanging stairway, its see-through steps appearing to be suspended in air. Completing this airy, open look . . . a long, gallery-type balcony as a corridor, off which open three bedrooms, each boasting two sliding door closets . . . and a divided bath with twin-bowl vanity.






The TRIWOOD

... striking tri-level innovation



Truly impressive . . . an extra-long ranch-style home, its air of luxury accentuated by wrought-iron porch columns . . . planter . . . lamp. Inside, a huge living room, fireplace on inner wall . . . large activity room, utility room, with a third bath that's adjacent to both — and to the yard.





Even on a narrow lot, situated on a sloping hillside, the SHOREWOOD can impress visitors with its highly modern look. Flat roof . . . clerestory windows . . . living room window-wall . . . low, stone planter . . . brick fireplace chimney — all emphasize the soft beauty of practical redwood siding — agreeably uncluttered.




A FAMILY ACTIVITY ROOM !

There is a growing trend to activity rooms: for informal meals, lounging, hobbies. This one, in a BROADWOOD, is strategically placed, adjacent to the kitchen (see pass-through, for serving ease) and to outside terrace. Sliding door at right leads to closet for sports equipment, games.


VARIATIONS OF IRREGULAR PLANS


Demonstrating the extreme versatility of Pease Homes, here is another SHORE-WOOD which appears to be a totally different home. This time a large activity room and garage are added . . . the widened living room contributing to the effectiveness of its long, low exterior, topped off with a 3-in-12 pitch roof. Thoughtful touch: four sliding-door closets lining one whole wall of activity room.




"BATHROOM-APPEAL!"

This glamorous vanitory — latest design for the modern bath. Observe its generous table-top . . . superb storage space below.





For the good-sized family . . . with many friends. A central activity room separates bedroom from "living" wing — acts as sound buffer when there's company. Streamlined kitchen with counter-space for large-scale entertaining . . . master bedroom with own dressing room . . . extra closets everywhere. Lavatory-shower opens off 3-car garage, for "dirty work cleanups." All windows are glass-wall units.



VARIATIONS
OF
IRREGULAR
PLANS

PARKWOOD • SHOREWOOD • BROADWOOD

COURTWOOD • TRIWOOD



"THERE'S SOMETHING ABOUT A FIRE . . ."


. . . that enhances any living room — romances any age-group. Do you prefer colonial, as shown . . . massive stone . . . modern, set flush in the wall? Add a fireplace to YOUR Pease Home for endless satisfaction.

VARIATIONS OF IRREGULAR PLANS

PARKWOOD • SHOREWOOD • BROADWOOD
COURTWOOD • TRIWOOD




Strikingly arranged, this brick and bevel siding home was designed by parents who wanted to be close to their youngsters — yet have privacy, too. They've taken a simple two-bedroom house and added a big bedroom and bath . . . expertly placed closets. The exterior, also, shows real ingenuity. Low-pitched roof, long bank of bedroom windows, handsome garage doors, add to its dramatic appearance.





"HOW TO PERK UP THE LIVING ROOM"

With *wood panelling* for warmth and beauty . . . set-in *shelves* and cupboards, used here for housing hi-fi, records, games. Incidentally, nearly all Pease living rooms have ample wallspace for a piano, or other sizeable furnishing.



All brick, except for gables and living room bay, the white wrought iron column and brick planter at entry are nice touches. This adaptation of the PARKWOOD contains an activity room with its own fireplace, dovetailed with that in the living room . . . big breakfast room extending the roomy kitchen . . . secluded corner porch.



Beauty and Efficiency for the "Heart of the Home"

Pease Home space designed kitchens will captivate your heart! They're lovely to look at, delightful to work in. Your choice of wood cabinets (included in each package price) or all steel cabinets (at a slight extra charge) is available for every home. A porcelain-enameled double-bowl sink with chrome mixing faucet and spray . . . continuous Formica countertops in many patterns and colors to suit every taste, with stainless steel edge binding and 4" backsplash . . . all included in the regular home package.

Each Pease Home kitchen provides maximum cabinet area and drawer space per foot of available wall space. Naturally the floor plan governs the final cabinet arrangement. Plans purchased in advance of construction are illustrated in detail, including alternate kitchen arrangements for Tappan built-in range and oven.

Judi Miller . . . experienced kitchen consultant . . . whose skillful planning of every detail aids in creating Pease Home kitchens that combine advanced styling . . . with utilitarian features of proven practicality.



Judi Miller


POPULAR

Scheirich

BRONZEGLOW
BIRCH KITCHENS

When your preference is wood—especially for "open" kitchens, closely integrated with living and dining areas.

Doors are faced entirely in selected kiln dried birch, while drawer front, ends, frames, etc., are made of other selected hardwoods, all factory finished like fine furniture to bring out the full richness of selected birch color.



Needs no care beyond occasional waxing . . . finger-marks simply do not show . . . "flow front" drawers with concealed finger pulls, rubber roller catches, and free sliding center-guided drawers, to assure smooth action . . . drawers lock when fully opened—can't pull out. Graceful die-cast bronze-tone cabinet pulls.



Revolving-shelf corner base with automatic, self-centering closing action.



Scheirich wood cabinets featured in a Broadwood home. Alternate kitchen arrangement includes a Tappan built-in range and Copperloy satin finish oven.

If you prefer STEEL KITCHEN CABINETS

there's



... the kitchen that whispers



Not only matchless beauty and efficiency, but also hushed *quiet* — in this last-word Geneva steel kitchen.

Thick sound-deadener is laminated between panels of door and drawer fronts . . . floating drawers, mounted on rollers, can't stick or jam, glide open at the flick of a finger, close at the slightest touch . . . plastisol-coated shelves cushion china and glassware from shock, are adjustable, accessible, open to view, eliminate clutter . . . silent nylon door catches hold securely, completely eliminate metallic clicks.

Harsh noise and rattles are never heard in the gentle Geneva kitchen. But quality construction is *seen* and *felt*. Cabinets scientifically designed to facilitate chores . . . finished in 2-coat baked-on enamel that won't chip or fade . . . door and drawer fronts painted *inside*, too, for prevention of rust.

Six harmonious decorator colors — and White:

Bricktone • Butter Yellow • Willow Green
Potter's Blue • Sandalwood • Blossom Pink

A Broadwood home alternate kitchen with willow green Geneva cabinets, and Tappan built-in range and oven in Lusterloy brushed chrome finish.



"OPTIONAL EQUIPMENT"

that can add so much pleasure is available for all
PEASE HOME kitchens (see page 80 for prices).

TAPPAN BUILT-IN ELECTRIC RANGE AND WALL OVEN

(as shown in the illustration of kitchens)
Approved by Underwriters' Laboratories

RANGE — *Lusterloy finish — mounted flush in countertop*

- Two 6-inch, two 8-inch cooking elements
- Deep spillover bowls, easy to remove for cleaning
- 7 speed cooking controls for each element — the right heat for every cooking need
- Controls at top-rear, out of small children's reach

OVEN — *24" wide and placed at convenient height*

- Fiberglas insulation
- Visualite door and "peek" light
- Sparkling Chrome Lining for faster heating and browning
- Deep Broiler Pan prevents smoking, spattering . . . serves as warming oven, too
- Lift-off door simplifies cleaning
- Eye-level Control Panel lets you set dials without stooping
- Has automatic electric clock, 60 minute timer, Robertshaw temperature control, bake and broil indicator lights, circuit breaker and peak switch. Control panel is easily removed from oven for servicing.

Lusterloy brushed chrome finished oven for Geneva Steel Kitchens
Copperloy satin finished oven for Scheirich Wood Kitchens.



"MAGIC RING"
PULVERATOR

automatically pulverizes and flushes away
all food waste — quietly, quickly.

KitchenAid®

AUTOMATIC
DISHWASHER

Make mealtime joyful, with no squabbling over dishwashing to follow! KitchenAid takes over — automatically! Giant-size revolving wash arm power-washes with water far hotter than hands can stand . . . plastisol-coated racks protect china, glasses, silver of all shapes and sizes . . . racks slide out separately.

NO PRE-RINSING NECESSARY — even stubborn grease, lipstick, dried milk disappear like magic. *Separate* motor and hot air blower-fan dry every piece to sparkling perfection. New — better than ever — the finest made. By HOBART — world's largest manufacturer of dishwashing equipment. Load it, latch it, leave it, LOVE IT! Decorator styled in a choice of Stainless Steel, Antique Copper or White!




FASCO

VENTILATING FANS

Direct wall or ceiling type exhaust fans

TRADE-WIND

Patrician range hood in Coppertone,
stainless or white.




Add Charm
and Convenience
with a Breezeway

Much of the charm connected with early American homes is due to covered passageways between the living quarters and service buildings. To obtain the charm of a rambling appearance, utility of a porch, plus a convenient, protected passage to the garage — add a breezeway to your Pease Home.

Open Breezeways are used to connect an attached garage to a home, and are available 12'0" wide by 12'3" deep, and 12' or 16' wide by 24'3" or 26'3" deep. The latter sizes form a continuous roof line with the home. *Enclosed* Breezeways are also available in the same sizes, if a permanent room is desired between home and garage.

The prices of packaged open breezeways include roof trusses, $\frac{1}{2}$ " plywood roof sheathing, asphalt roofing materials, $\frac{3}{8}$ " Weldtex for ceiling, wood lintels, trim and 4 whole and 4 half 6" x 8' wood columns. If breezeway is enclosed, proper materials are furnished for finishing the interior like the home. For prices, type number and details on breezeways, see page 82. Plans are available, and should be ordered with home plans — there is no extra charge.





FRONT PORCH

A porch can change a plain exterior into a pleasing, interesting design that speaks a warm welcome to the visitor. For entry protection and a perfect area for summertime relaxation — add a porch to your Pease Home.


Three standard types of porches are available for Pease Homes, and are priced on page 82.

The Side Porch, which can be used with almost all Pease Homes, is either 12'0" x 24'3" or 12'0" x 26'3" (determined by the depth of the home); is formed by adding additional roof trusses, like those in the home, so that a continuous roof line is possible. 6" x 8" wood columns, necessary trusses, gable end, straight lintels, roofing material, $\frac{3}{8}$ " Weldtex for the ceiling, exterior trim, etc., are all included.


The Full Front Porch, used with any L-shaped plan, or the T-shaped Parkwood plan, includes curved wood lintels, 6" x 8" load bearing wood columns, roof rafters, $\frac{1}{2}$ " plywood roof sheathing, $\frac{3}{8}$ " Weldtex for the ceiling, 19" selvage black slate roll roofing, cornice, etc.

The second type of Front Porch, for L-shaped or T-shaped plans, is formed by using longer gable end and trusses over the front bedroom. The projecting trusses form an 8' x 12' open porch for Plans 110 or 138, and a 6' x 12' open porch for Plans 20, 120 and 140. This porch package contains 6" x 8" wood columns, the correct trusses, roofing materials, lintels, etc., in proper quantities.


Add Beauty and Utility with a Porch



SIDE PORCH



FULL FRONT PORCH




CARPORT

... a carport has advantages

The Carport adds extra width to the home and provides space and shelter for the car without loss of light or ventilation in the living room side of a Pease Home. Two sizes, either 12'0" wide by 24'3" deep or 12'0" wide by 26'3" deep, are available. Roof trusses are furnished to make an unbroken roof line in either 5 in 12 or 3 in 12 pitch. Roofing material (matching the home's), gable end, wood columns, $\frac{3}{8}$ " weldtex ceiling, lintels, cornice and trim are all included. The Carport is priced on page 82 under "Side Porch."

DETACHED GARAGES

Detached Garages for all Pease Homes are 24'3" deep and are made extra wide and deep for additional storage facilities. Garage walls come in sections with $\frac{5}{16}$ " exterior grade plywood sheathing applied, and include the same quality materials, workmanship and easy field erection found in the homes. The roofs of all garages use roof trusses and $\frac{1}{2}$ " plywood roof sheathing that can be applied in a hurry. Kind and color of siding and roofing materials should be specified to match the home. Top quality garage doors are 1 $\frac{3}{8}$ " thick, sectional overhead type (complete with track, rollers, springs, cylinder lock and 2 keys). Window and service door sections may be substituted for the standard blank wall section if desired. Gypsum lath for wall and ceilings, if required in your locality, are quoted as an extra. For complete prices, see page 81.






One car attached garages are offered in six sizes: 12' or 16' wide by 24'3" deep, 12' or 16' wide by 26'3" deep, and 24' wide by 12'3" or 16'3" deep. A 9' x 7' overhead type garage door is furnished for placement in the front or rear of either the 24'3" or 26'3" garages, or for the end of garages 12'3" or 16'3" deep.

Two car attached garages are available in five sizes: 20' or 24' wide by 24'3" deep, 20' or 24' wide by 26'3" deep, and 24' wide by 20'3" deep. The overhead doors may be located in the front, side or rear of any garage — whichever you choose.



Since all attached garages have the "gable at end," a Pease Home can have the longer look of a continuous roof line by using a 20'3" deep garage (Type A2420) with the Broadwood or Courtwood plan; or by using any 26'3" deep garage with Plans 106 through 144. If an "offset" roof line is desired, types A2412 or A2416 can be used for any Pease Home.


All attached garages come complete, as described on the opposite page. For complete prices of garages and the breezeways that can be used with them, see page 81.



ATTACHED GARAGES

WITH OFFSET OR CONTINUOUS ROOFLINES






Come and See for Yourself!

YOU ARE CORDIALLY INVITED
TO
AMERICA'S MOST UNIQUE
AND PERMANENT HOME DISPLAY...

The Distinctive
"STREETS OF PEASE DISPLAY HOMES"
at 900-951 Forest Avenue
Hamilton, Ohio

FROM 8 A. M. TO 6 P. M.
SEVEN DAYS A WEEK





Almost three city blocks are occupied by the Pease Home plant and display homes. Located on the B & O Railroad, the plant has four private switches which handle 24 box cars a day. Eight fully enclosed loading docks accommodate 16 trailer trucks at one time. The factory contains 250,000 sq. ft. of floor space *under roof* for controlled production of Pease Homes.



A permanent "Open House" that's

Won't you join the thousands of families who visit us each year, making themselves at home while they plan, select, study and compare the appearance and features of the Pease Homes on display?

An entire city block, across the street from the Pease Home factory and office, is given over to Display Homes, permitting you to see for yourself before making a decision. On display are the NEW '57 Triwood and Courtwood plans, along with the Shorewood, Broadwood, Maywood, Innwood, Kirkwood,

Longwood, Oakwood and Dalewood.

You are also invited to visit the Pease Home Sales Office, where courteous representatives are on hand at all times to furnish home building information and assist you in placing your order. You will enjoy seeing the display room, where you may examine and select materials for your Pease Home.



Feel free to drop in and browse to your heart's content. You are very welcome! (Don't forget to bring your camera!)




centrally located

The Pease Home permanent "open house" is located at 900-951 Forest Avenue, Hamilton, Ohio. Take U. S. 127 or Ohio 4 to the south side of Hamilton (known as Lindenwald). If you are driving on U. S. 127, turn east on Forest Avenue and proceed 3 blocks to the homes. If on Ohio 4, turn west on Laurel Avenue and proceed one block until you see directional signs and the homes.

Ample free parking in the large Guest Parking Area






VOLUME PRODUCTION

Each operation becomes greatly simplified under quantity production methods. Certain men perform identical operations over and over, day after day. Not only do they gradually eliminate all waste motion, but their work becomes second nature to them, and unit labor costs are reduced to a minimum. This illustration shows how interior partitions are "framed-up." The 2 x 4 studs are spaced 16" on center, and doubled around all openings in load bearing walls. Continuous 2 x 4 plates are placed along top and bottom, then nailed to each stud with two 16d cement-coated spikes.

High speed machinery, mechanical handling equipment, and large scale production under controlled working conditions make factory assembly possible in less than one-third the time usually consumed in on-site construction. This saving in dollars and cents is reflected in the final cost of a Pease Home, when due allowance is made for the number of carpentry hours saved on the job.

CONSTANT SUPERVISION

Our crew of experienced supervisors is constantly inspecting! They're purposely critical of every operation, in order to maintain the high quality standards identified with every Pease Home. Roof trusses are an outstanding example. The supervisors closely inspect each joint of the truss for perfect fit beneath the metal Sanford GRI-P-LATE which has been nailed and pressed over the joint. Each truss must meet the roof specifications, set by Pease, of supporting four times the normal roof load requirement of the building codes, without structural failure. Superior structural standards in every Pease Home are assured through engineered design and pretested performance. These tests are conducted by the H. C. Nutting Company, Testing Engineers and Chemists. You are assured of a home that combines true architectural excellence and modern design with highest quality materials and workmanship.



PEASE HOMES

better value
at lower cost


MODERN PRODUCTION METHODS

High speed modern machinery not only saves labor, but assures an accurate fit of each component part of every Pease Home. Lumber is brought to the saws on conveyors and taken away on lift trucks, so that handling costs are a fraction of those incurred in unloading, piling, carrying, cutting, and other piece-by-piece operations which are unavoidable when framing a home in the field. Year 'round production and comfortable working conditions enable our experienced craftsmen to factory-build your home to the highest standards. Only top quality materials are used in Pease Homes. They are stored entirely under roof and out of the weather. Because of constant turnover, all material is new, clean and prime grade.

Pease Homes are made faster and better by careful planning and more efficient use of skilled labor. Thus, through better production comes better value at lower cost to you.

PRECISION ASSEMBLY

Accurate forms and jigs, and modern assembly lines, turn out assembled house parts that form the home. Construction at the site thus becomes an assembly operation, with reduced need for skilled craftsmen. This illustration shows how the outside wall sections are framed. Each 2 x 4 stud is double nailed at each plate with cement-coated spikes, after which $\frac{5}{16}$ " exterior grade plywood sheathing is nailed to one side. The sections are then stencilled, for easy identification at the job site, and moved to the loading docks for shipment.



PEASE HOMES go up fast

SAVE TIME, MONEY,
WORRY ABOUT WEATHER


Factory assembled parts are quickly set in place. Simple procedures, fully explained by erection instructions included in plans, eliminate the need for highly paid skilled craftsmen. Pease Homes are under roof so fast that worry about the weather is negligible.

Construction of a home with basement, or over crawl space, follows conventional procedure until the basement walls are completed. The first step in erecting the Pease package is to make sure that the foundation walls are level and square, and that the basement windows are set. After the beam through the center is placed and levelled with supporting basement columns in place, the box girders are bolted into place. These box girders come assembled and notched every 16" on center to receive the floor joists. *The names of all wood members are stencilled on each piece for positive identification with references in plans and detail sheets.* After the

joists and bridging are installed, $\frac{1}{2}$ " Douglas fir exterior grade plywood sub-flooring is laid over the entire area.

Homes built on concrete slab require a 2" x 4" nailing plate, bolted down flush with the top of the slab, on which to place the exterior walls. It is very important that the nailing plate be level and square.

Next, lay the plywood covered exterior wall sections around the outside of the foundation in their proper order. You can start to erect them at ANY corner. Each section should be lined up carefully and plumbed before being completely nailed in place. As the studs are exposed on the inside of the exterior wall sections, the bottom plates are spiked through the sub-flooring to the joists, to anchor the walls to the floor (or into the nailing plate for slabs). Plywood sheathing overlaps the stud at each joint, for greater strength, and an overlapping 2" x 4" plate is nailed along the top of the wall sec-



tions to tie them together entirely around the home. If you prefer, each complete wall may be assembled as a unit, then raised into place.

The interior partitions are full room size, and may be installed along with the exterior walls to brace them. All sections are simply nailed together — no bolts or tricky fittings.




Truss type gables are placed on top of the end wall sections and secured in place at each end with metal truss anchors. Pease Homes have trussed roofs and gables for greater strength, and quicker field erection. The trusses come completely assembled and are slipped up over the walls and secured in place (24" on center) with the special anchors furnished, then plumbed, and $\frac{1}{2}$ " exterior grade plywood sheathing applied. This sheathing should be covered immediately with a layer of 15 lb. felt, and the asphalt shingles then laid. The shingles come in "3-in-1" strips, and are laid with 5"

exposure for homes with 5 in 12 pitch roof, 4" exposure for homes with 3 in 12 pitch roof.

Windows come assembled in complete units — glazed, weatherstripped, and with overhead balances installed. They are simply set in the openings, levelled, and then nailed in place. Outside doors and frames come assembled, as a unit, and are set in the same manner.

Siding is applied over furring strips without the use of building paper, since the plywood used is of exterior grade, needing no additional protection.

With your Pease Home under roof and the exterior walls completed, you can now work inside, undisturbed by the elements and knowing that the quality of materials used has remained prime grade. You have a home that is engineered to the highest standards. A home that will maintain its quality for years to come. You have a Pease Home — the finest money can buy.



Material Specifications for

Meet FHA and VA Minimum Property Requirements in most areas.

BASEMENT WINDOWS

Aluminum, glazed with clear glass bedded in glazing compound. Aluminum screen is installed.

GIRDER AND COLUMNS

Three pieces 2 x 10 nailed together. Steel basement columns furnished as an "extra" (see page 74).

SILLS AND JOISTS

(For basement or crawl space plans only.) Kiln dried Douglas fir or West Coast hemlock 2 x 10 16" o. c. for all plans, doubled under all partitions parallel to joists. 2 x 8 solid bridging between joists. Metal joist anchors where required.

STUDS AND PLATES

2 x 4 kiln dried Douglas fir or West Coast hemlock, spaced 16" o. c. and doubled around all openings in bearing walls. Exterior walls and bearing partitions have single plate at bottom and double plate at top. All other partitions have single plate at top and bottom.

CEILING AND ROOF FRAMING

For all plans with pitched roofs, kiln dried Select Structural Douglas fir 2 x 4 built-up trusses, spaced 24" o. c. with metal Sanford Gri-P-Lates nailed and pressed over each joint. (Truss test data available upon request.) Metal anchors, to anchor truss ends to supporting walls, are included. Cornice extenders attached to trusses. Ceiling joists for flat roofs are 2 x 8 16" o. c. with metal bridging.

EXTERIOR WALL SHEATHING

$\frac{5}{16}$ " Douglas fir plywood made with waterproof glue. ($\frac{1}{2}$ " for trussed gables.) $\frac{5}{16}$ " x 1 $\frac{1}{2}$ " furring strips furnished loose for application over sheathing when Broadside shingles, bevel, rustic cedar or vertical siding are used as an exterior siding.

INTERIOR WALL SURFACES

$\frac{1}{2}$ " plasterboard or $\frac{3}{8}$ " gypsum lath for all interior walls; $\frac{1}{2}$ " insulating plasterboard or $\frac{3}{8}$ " insulating gypsum lath (both aluminum foil backed) for interior surfaces of exterior walls; $\frac{1}{2}$ " plasterboard or

$\frac{1}{2}$ " gypsum lath for all ceilings. Tape and cement are furnished for all plasterboard joints. Metal corner beads for outside corners are included. Inside corner and ceiling angle reinforcement furnished with gypsum lath.

ROOF SHEATHING

$\frac{1}{2}$ " Douglas fir plywood made with waterproof glue in 4' wide panels.

SUB FLOOR

(For basement or crawl space plans only.) $\frac{1}{2}$ " Douglas fir plywood made with waterproof glue in 4' wide panels.

FLOORING

(For basement or crawl space plans only.) $\frac{25}{32}$ " x 2 $\frac{1}{4}$ " No. 1 common grade kiln dried oak, side and end matched, with $\frac{3}{8}$ " fir plywood made with waterproof glue for kitchen and bath. Clear grade unfinished or Bruce prime grade factory finished oak flooring optional (see page 74). Duplex kraft paper for application between subfloor and finished floor included. Bruce Blendwood or Laminated Block Flooring available as an alternate for concrete slab floors (see page 74).

NAILS

Common and finish nails are cement coated. Roofing nails are galvanized. Siding, shingle and cornice nails are solid aluminum with dull finish. 1 $\frac{1}{4}$ " ringed nails are furnished for plasterboard. 1 $\frac{1}{8}$ " blued nails furnished for gypsum lath.

SIDING

Broadside shingles, red cedar, consisting of 16" undercourse (natural) and 18" outer course (stained prime coat light gray) for application over furring strips. Shingles come individually packed in bundles. * $\frac{3}{16}$ " asbestos Flexboard in 4' wide sheets with 1 x 3 select fir or hemlock batten strips, 16" o. c., $\frac{1}{2}$ x 8 or $\frac{3}{4}$ x 10 clear red cedar bevel siding (with metal corners), 1 x 4 rustic red cedar siding or 1 x 10 clear all heart redwood siding for vertical application

are optional. Bevel siding, rustic cedar and vertical redwood siding come in standard random lengths 3' and longer, unpainted. Natural stain and oil for redwood or red cedar siding are available (see page 75). For brick or stone veneer, furring strips are furnished, wood siding is omitted. Same type window or door frames used on either kind of wall.

*Asbestos cement paint only should be used on $\frac{3}{16}$ " asbestos Flexboard. For recommended paint, write Pease Woodwork Company for further information.

ROOFING

For 5 in 12 pitch roofs: 240 lb. asphalt slate surfaced 3-in-1 strip shingles 36" wide, laid 5" to weather. For 3 in 12 pitch roofs: 300 lb. asphalt slate surfaced 3-in-1 strip shingles 36" wide, laid 4" to weather. 15 lb. asphalt saturated felt underlayment included for both pitches. Built-up roofing for plans No. 131 and 132 (flat roof is not included). 240 lb. Sta-Seal tab asphalt slate surfaced 3-in-1 strip shingles 42" wide, laid 7" to weather, optional (see page 74).

EXTERIOR MILLWORK

Clear Ponderosa pine, West Coast hemlock and/or Douglas fir, TOX-I-SEALED. Soffit of cornice and ceilings of porches and open breezeways are $\frac{3}{8}$ " Weldtex plywood - exterior grade.

INSULATION

2" Fiberglas roll blanket (paper enclosed) for ceilings included (optional for sidewalls). 2" Fiberglas roll blanket (foil enclosed) for air-conditioned homes optional for sidewalls or ceilings (see alternates and extras). Crawl space homes include 2" Fiberglas floor insulation and polyethylene film ground cover.

ATTIC VENTILATION

Provided by 8 x 8 mesh galvanized hardware cloth stapled to Weldtex cornice soffit (openings are 3" wide for 14", 31" or 44" projecting cornice or flat roof), sufficient to accommodate an attic ventilating fan. Attic ventilating fans available as an extra (see page 79).

PEASE HOMES



WINDOW AND SLIDE-A-SASH FRAMES

Clear Ponderosa pine, TOX-I-SEALED, with zinc ribbed weatherstrip at head, sill and the full width of jambs. Interlocking weatherstrip at check rails. Formed galvanized metal flashing is provided at heads of all openings not protected by cornice overhang.

SASH

1½" thick, clear Ponderosa pine, TOX-I-SEALED, glazed with clear flat drawn glass bedded in glazing compound, fitted for weatherstrip and hung on sash balances. Sash and frames come completely assembled into window or Slide-A-Sash units. Ventilating Glass-Wall unit sash are 1½" thick, glazed with wood beads, weatherstripped and have rotary operators. Glass-Wall units 2'-3¼" high are glazed DSA. ½" insulating glass (Twindow) is optional. Stationary Glass-Wall units 4'-6½" high and 6'-9¾" high are glazed ¾" polished plate with 1" insulating glass (Thermopane) optional (see page 77). Aluminum sliding windows glazed with DS glass set in vinyl glazing bead are also available (see page 76-77).

EXTERIOR DOORS

1¾" thick, glazed, solid core birch flush type, prefitted for hardware. Aluminum threshold with vinyl pressure strip and spring type head and side weatherstrip installed. Exterior doors and frames are assembled in complete units, including oak sill, threshold and

weatherstrip. Clear Douglas fir doors are optional (see page 78).

Aluminum sliding glass doors (with aluminum frames) with ¼" plate glass are included in plans No. 131, 132, 147, 148, 149 and 150. 1" insulating glass (Thermopane) is optional (see page 78). Aluminum doors and frames are not assembled. Glass comes boxed.

INTERIOR DOORS

1½" thick, hollow core, flush birch, prefitted for hardware. Ponderosa pine louver and hollow core flush Gold Coast cherry doors are optional.

CLOSET DOORS

Closet doors for 3'0" and 3'6" closets are 2'6" x 6'8" 1½" hollow core flush birch with sliding pocket hardware (1½" louver or cherry doors optional). Doors for 4'0" and wider closets are 1½" Ponderosa pine louver doors, 7'-8" high. Bypassing hardware is included. ¾" flush birch 7'-8" high; Spacemaster fabric doors 8'-0" high; 1½" sliding birch, cherry or louver doors, 6'-8" high optional (see page 79).

INTERIOR TRIM

Clear Ponderosa pine TOX-I-SEALED door and window trim (casing 1½" x 2½") mitred and carton packed. Shelving is steel, tan finish baked on, with front edge formed for hanger rod, and includes plastic clothes hooks attached. Bedroom closets with 7'-8" high doors have two shelves; with 6'-8" high

doors have one shelf; linen closets have 5 shelves and broom closets one shelf.

STAIRS

Basement stairs have Douglas fir or West Coast hemlock 2 x 8 stringers gabled for 2 x 10 treads. Open risers. Main stairs for plans No. 149-150 have Douglas fir 1 x 10 stringers and 1 x 8 risers with 1½ x 10½ oak treads, box type. Stairs are assembled. Main stairs for plan No. 151 steel stringers, 2 x 12 oak treads and open risers (shipped K.D.).

FINISH HARDWARE

Solid brass cylinder front and rear door locks — keyed alike. Tubular type locks for interior doors, polished brass finish. Sash locks and lifts are the same. Door butts are steel, dull brass finish.

KITCHEN CABINETS

Scheirich hardwood with natural birch finish and brushed bronze hardware. Geneva steel cabinets with white baked-on finish optional (Sandalwood, Butter Yellow, Blossom Pink, Willow Green, Bricktone and Potters Blue finish, also optional (see page 80).

One-piece Formica top and 4" backsplash with metal edging, and 21" x 32" double-bowl enamelled pressed steel sink built-in. Porcelain enamelled cast iron or stainless steel sink bowls optional. Chrome plated mixing faucet and strainers included. Roll formed type top optional (see page 80). Built-in range and oven, dishwasher, waste disposal, fans, range hoods, etc., optional (see page 80).

BATH CABINETS

Enamelled steel, with 16" x 24" plate glass mirror and stainless steel banding. Sliding door cabinets with two 14" x 20" mirrors, and vanities with ¾" plate glass wall mirror, replace bath cabinets in plans No. 147, 148, 149, 150 and 151. Cabinets with side lights optional (see page 79).

BATH ACCESSORIES

Six piece set (paper holder, 2 towel bars, soap and grab bar, soap holder, and toothbrush and tumbler holder), chrome finish. Four piece sets with vanities.

How you can own a PEASE HOME

Total completed cost is usually the primary consideration in the selection of a home. Prices set forth in the pricing section of this book represent only a PARTIAL COST. In addition to the Pease package, the total cost will include the lot, foundation and masonry materials, plaster, plumbing or plumbing fixtures (except kitchen sink and faucet), heating, wiring or electrical fixtures, gutters and flashing, linoleum, decorating, landscaping and field labor.

FOUR WAYS TO OWN A PEASE HOME


1 – Purchase a completed Pease Home:

You can buy a home already built, complete with lot and ready to occupy, from a builder or developer. This method has several important advantages: the total cost is known; the home is ready for immediate occupancy; you can see the completed home before you buy it; and maximum term financing with a minimum cash down payment is available.

2 – Builder contract method:

You enter into a contract with a builder of your own choice to construct a Pease Home to your specifications. This is the best way to have a home with the features you want built quickly in the location you choose. Furnish a set of plans and material specifications to each interested builder and request a written bid on the home, *completed and ready to move in*. Any builder can construct a Pease Home for you. If you are not acquainted with reputable builders in your community, we can often suggest to you, by mail or through our sales representatives, names and addresses of local builders who specialize in building Pease Homes.





3 — *Contract yourself method:*

When acting as your own general contractor, you assume responsibility: for securing bids from each sub-contractor; awarding contracts; coordinating the work of all tradesmen on site; and making inspections as the work is performed. You must also pay or authorize payment on contractor's affidavit to each sub-contractor as work progresses. Close supervision, along with general knowledge of the building trades, is essential if you undertake building under this method.

4 — *Do-it-yourself method:*

Many prefer to do a large portion of all work on their own homes. Pease Homes are engineered so that simplified construction is possible for those who have a working knowledge of building and enough time to assure satisfactory and prompt completion of the home. It is recommended that this method be used *only* if a person with background, experience and ability in building is part of your construction team.

SELECT A PEASE HOME YOU CAN AFFORD

If you choose to build by "builder contract," "contract yourself" or "do-it-yourself" method, the first step is to roughly determine the

VALUE of the home and lot. Since fixed cost guides apply to specific areas, we can only suggest a formula for computing the approximate completed VALUE of homes in your own locality. This formula is merely a guide, but may be helpful in selecting the Pease Home that you can afford.

$$\text{Local "Construction Cost Index" (\$ per sq. ft.)} \times \text{Area of home (sq. ft.)} + \text{lot value (\$)} = \text{Total completed VALUE (\$)}.$$

You can secure the local "Construction Cost Index" from your nearest office of the Federal Housing Administration, Veterans' Administration, your banker, or savings and loan secretary. Square footage table of Pease Homes is on page 83.

The next step is to have your banker analyze your personal financial situation to determine the amount which you can afford to spend for a new home including lot. (A guide used by the F. H. A. is an amount equal to 3 times annual income of household head. Example: you can afford to spend \$15,000 if the annual income of the household head is \$5000). With value and your price range established, next determine the actual cost of the design you have selected.

How you can own a PEASE

HOW TO FIGURE THE COST OF A PEASE HOME PACKAGE

The total cost of the materials supplied by Pease Homes delivered to your site may be established by adding to the base price of the home selected: the costs of all variations from the standard home; cost of attachments, such as breezeway, porch, and garage; and freight charges. You will be delighted to learn that available alternates and extras add very little to the overall cost, yet provide distinct architectural features that reflect your individual taste.

If you prefer to have a written quotation, fill out the form enclosed in the pricing section. Mark the block "Request for Quotation" and mail your request to us, or take it in person to one of our Display Home representatives. A written quotation with exact prices will be sent to you promptly. Plans and material specifications (see page 73) for the home you select will be needed when figuring actual construction costs, and for exhibit when applying for a loan.

HOW TO ARRIVE AT COST OF COMPLETED HOME

If you have selected the "builder contract" method, your total construction cost will be represented by the builder's bid, including the cost of all sub-contracts and the Pease package delivered.

The sum of the various bids of sub-contractors plus the delivered cost of the Pease package will give you the total construction cost by the "contract yourself" method.

The "do-it-yourself" method necessitates a complete listing of all materials needed and their costs on the work you will do, plus the Pease package delivered to the site.

HOW TO FINANCE YOUR PEASE HOME

Pease Homes are readily accepted for maximum term mortgages by banks, building and loan associations, insurance companies and other lending institutions. They are designed and engineered to exceed F. H. A. and V. A. minimum property requirements in most areas. With the total construction cost established within your budget, and clear title to your lot, you are ready to apply for a mortgage, if required.

Certain information must be furnished to the lender selected, in order to permit his making an intelligent and fair appraisal of your new home and its location, and in order to determine your financial ability to meet monthly payments. Lending institutions usually require a complete presentation including: (a) one plot plan showing location of house on lot, utility installation and adjacent properties; (b) one set of Pease Home plans — heating and wiring plans prepared by your local sub-contractor should also be included; (c) one set of specifications showing materials to be used in construction; (d) written bids substantiating costs; and (e) one copy of a personal financial statement listing your assets and liabilities. After receiving written approval on your loan, your order should be placed and site construction may begin.

HOW TO ORDER YOUR PEASE HOME

Orders for Pease Homes may be placed by mail or in person with our sales representatives at the Display Homes or Office in Hamilton, Ohio. It is always advisable to use our prepared order form to insure accurate and complete specifications (and thus avoid delays in shipment due to changes or errors). A confirmation of your order, with deliveries scheduled as nearly as possible to your request, will be sent to you promptly upon receipt of your signed order.

HOME (CONTINUED)

HOW PEASE HOMES ARE SHIPPED

Pease Homes are usually shipped by truck with delivery to your site (see table on inside rear cover for number of loads per home). Any plan with bulky "extras" added may require another truck load. On homes shipped in two loads, the "first" load includes floor framing, wall panels, trusses, and other materials necessary to put the home under roof. A 24' x 40' reinforced water-proof paper tarpaulin is included with this load to protect materials at the job site until they are ready for use. The "second" load comes in an enclosed van, contains assembled windows and exterior door units, plasterboard, insulation, kitchen cabinets, oak flooring and other finish items that can be stored inside the home and kept dry until used. Truck shipments are scheduled for 8 A. M. delivery to insure a full day's work, although exact time of arrival cannot be guaranteed. Truck freight charges will be prepaid if included in your remittance, or can be paid to the truck driver as each load arrives. All truck and rail cargoes leaving the Pease Home factory in Hamilton, Ohio, are fully insured by the carriers against loss or damage in transit.

By rail freight, all homes, including desired extras, are shipped as one carload, on which the freight charge is based on actual weight with a minimum of 24,000 lbs. All rail shipments originate on the Baltimore & Ohio Railroad, and will be routed for delivery on the railroad siding specified on your order. You must arrange transfer from rail siding to job site. Free time allowed for unloading of the car is 48 hours following arrival at destination. Shipping weights of homes are listed on the inside rear cover for your convenience.

Exact truck or rail freight charges will be quoted upon request. Loads to distant points can often be combined, to minimize freight charges.

HOW TO PAY FOR PEASE HOME MATERIALS

A cash discount of 2% may be deducted when check in full accompanies order, or is received by us at least 3 working days prior to scheduled shipment of the first load. Payment (not subject to cash discount) may also be arranged from the first proceeds of a construction loan on prior commitment from the lending institution. Particulars upon request. All prices quoted herein are subject to change without notice. Written quotations are protected for 15 days.



What PEASE HOMES base prices include

The base prices for all plans shown on the opposite page include all assembled exterior wall and truss type gable sections, interior partitions and assembled roof trusses, $\frac{1}{2}$ " plywood roof sheathing, 15 lb. saturated felt and 240 lb. asphalt roof shingles.

Siding consists of red cedar Broadside shingles with undercourse shingles and furring strips. 2" plain ceiling insulation, $\frac{1}{2}$ " insulating plasterboard for exterior walls, and $\frac{1}{2}$ " plain plasterboard for interior walls and ceilings are furnished, but not applied.

Glazed windows, Slide-A-Sash, Glass-Wall units or Aluminum windows, and exterior doors come weather-stripped in assembled units, with interior trim pre-cut and carton packed. Interior hinged doors are prefit to net size, bored for lock and routed for hinges, with hinges installed in side jambs.

Pocket doors are likewise prepared for hardware. Base, shoe, exterior finish, etc., all come bundled in standard lengths. Metal shelving is adjustable to proper lengths. Natural finish birch kitchen cabinets are assembled and

completely finished, with a one-piece Formica top and twin sink bowl built-in. Bath cabinet and accessories are included.

No material is primed or painted, except for Broadside shingles, which are prime coated. Metal shelving and bath cabinets are completely finished.

Nails, finish hardware, truss anchors, and tape and cement for plasterboard joints are furnished in proper quantities.

Included with all basement homes are glazed aluminum basement windows (complete with aluminum screens); pre-cut floor joists and solid bridging; assembled girder; box girders nailed to sill plates; assembled stairwell and chimney openings; assembled basement or main stairs; metal joist anchors and $\frac{1}{2}$ " plywood sub floor for the entire home. No. 1 common (unfinished) oak flooring is included for all rooms except the kitchen and bath, for which $\frac{3}{8}$ " plywood linoleum underlayment is furnished.

Homes with crawl space include 2" plain Fiberglas floor insulation and polyethylene film ground cover.

SEE PAGES
66-67
FOR DETAILED
MATERIAL
SPECIFICATIONS

What PEASE HOMES base prices DO NOT include

Base prices do NOT include any foundation or masonry materials, plaster, plumbing or plumbing fixtures (except kitchen sink and faucet), heating, wiring or electrical fixtures, linoleum, painting or decorating, gutters, flashing or field labor. For complete material specifications see pages 66-67.

PURCHASE PEASE HOME PLANS IN ADVANCE

ete sets of plans and material specifications will be sent you for customers please add 3% Sales Tax). This charge will be credited, to the purchase price of the home order when placed. When early specify the following:

Plan Number wanted.

ther "RIGHT" (ie: living room on right side) or "LEFT" hand plans wanted. "Right hand" plans will be sent unless otherwise specified. gnate whether "slab", "basement" or "crawl space" is wanted.

ify roof pitch and size of level and gable cornice projection.

t attachments (garages, breezeways, etc.) are to be included.

ie wide range of variations possible with Pease Homes, we cannot iled plans including all minor changes as you want them. Standard all items included in Base Prices on this page, and plans of are available (free of charge) on separate sheets. Plans are not for credit at any time. Plans may also be purchased at our es or office in Hamilton, Ohio.

SAMPLE AND COLOR KITS

icked kit containing over 100 actual colors and samples of items ase Homes will be sent for \$5 (Ohio customers please add 3% Complete samples of asphalt shingles, Formica countertop colors, igle colors, plus actual samples of oak flooring, trim, plasterboard, ood, etc., aid immeasurably in advance planning and accurate color he cost of the kit is credited, if claimed, on a Pease Home when ts are not returnable for credit at any time.

BASE PRICES FOR PEASE HOMES

name	plan	for slab	for basement
<i>The Cliffwood</i> (pages 2 - 3)	106 — 36'7" x 26'3"		\$4081
<i>The Dalewood</i> (pages 4 - 5)	114 — 40'7" x 26'3"		\$4404
<i>The Fairwood</i> (pages 6 - 7)	134 — 36'7" x 26'3" 136 — 40'7" x 26'3"		\$4256 4572
<i>The Maywood</i> (pages 8 - 9)	141 — 36'7" x 26'3" 142 — 36'7" x 26'3"	\$3297	\$4226
<i>The Oakwood</i> (pages 10 - 11)	144 — 40'7" x 26'3"		\$4518
<i>The Hillwood</i> (pages 18 - 19)	110 — 36'7" x 38'3"		\$4875
<i>The Innwood</i> (pages 20 - 21)	138 — 36'7" x 38'3" 140 — 40'7" x 38'3"		\$5059 5401
<i>The Kirkwood</i> (pages 22 - 23)	20 — 40'7" x 36'3" 120 — 40'7" x 38'3"		\$5069 5273
<i>The Longwood</i> (pages 24 - 25)	121 — 44'7" x 38'3" 22 — 44'7" x 36'3" 122 — 44'7" x 38'3"	\$4463	\$5680 5896
<i>The Parkwood</i> (pages 34 - 35)	129 — 44'7" x 50'3" 130 — 44'7" x 50'3"	\$5168	\$6878
<i>The Shorewood</i> (pages 36 - 37)	131 — 44'7" x 42'3" 132 — 44'7" x 42'3"	\$5038	\$6566
<i>The Broadwood</i> (pages 38 - 39)	147 — 76'3" x 54'7" 148 — 76'3" x 54'7"	\$9490*	\$10,386
<i>The Courtwood</i> (pages 40 - 41)	149 — 62'6" x 50'7" 150 — 62'6" x 50'7"	\$7595*	\$8749
<i>The Triwood</i> (pages 42 - 43)	151 — 40'8" x 48'7"	\$7490 *With partial basement	

All odd numbered plans are available for crawl space. To price of home "for slab" add extra for wood floor deck (see page 74). The base prices of all Pease Homes include 5 in 12 pitch roofs except the Shorewood, priced with flat roof, and the Triwood, priced with 3 in 12 roof as standard. Other roofs of 3 in 12 pitch are quoted as an alternate (see page 74). All Pease Homes are available "RIGHT HAND" (as floor plans are shown) or "LEFT HAND" (reversed) at the same price.

alternates for all homes

Add to or deduct from base prices for Pease Homes (see page 73)

plan numbers

SIDING VARIATIONS instead of Broadside shingles for entire home

$\frac{3}{16}$ " Asbestos Flexboard with 1 x 3 fir or hemlock batten strips	add	\$ 80	\$ 78	\$ 65	\$ 76	\$ 66	\$ 79	\$ 83	\$ 87	\$ 91	\$ 70	\$ 73	\$ 59	\$116	\$114	\$ 76
$\frac{1}{2}$ x8 Clear Red Cedar Bevel Siding	add	136	137	109	132	114	139	146	164	172	132	138	103	209	200	146
$\frac{3}{4}$ x10 Clear Red Cedar Bevel Siding	add	249	254	201	243	212	256	268	303	317	241	253	190	383	371	271
1x10 Clear Redwood Vertical Siding	add	337	347	275	331	289	348	365	413	433	325	342	259	520	506	369
1x4 Rustic Red Cedar Siding	add	92	91	73	88	76	93	97	110	116	87	91	69	140	133	96
Natural Stain and Oil for finishing redwood or red cedar siding including uniforming redwood stain for first coat, gloss finishing oil for second coat, and dull sheen finishing oil for third coat	add	65	65	56	65	56	65	65	79	79	65	65	56	98	98	65
If Broad-sides are omitted for brick or stone veneer (masonry materials not included)	deduct	251	267	208	251	222	264	277	316	329	246	260	198	390	390	286
If gables only are to have siding, see Gable Variations, page 74.																

PARTIAL SIDING VARIATIONS

Siding substitutions may be made for the DIFFERENCE between these prices:

Broad-sides 19¢ per sq. ft. $\frac{3}{4}$ x10 bevel siding 38¢ per sq. ft.

Flexboard and battens 25¢ per sq. ft. 1x10 vertical siding 45¢ per sq. ft.

$\frac{1}{2}$ x8 bevel siding 29¢ per sq. ft. 1x4 rustic siding 26¢ per sq. ft.

Brick or stone veneer homes may have partial siding (sidewalls or gables) of any materials above at prices shown.

1 x 2 clear redwood batten strips for 1 x 10 vertical siding, add 5¢ per lineal foot.

Outside Corner Posts $2\frac{1}{2}$ " x $2\frac{1}{2}$ " x 9' (for bevel siding or Broadside shingles)\$1.50 each


OUTSIDE BLINDS

$1\frac{1}{8}$ ", louvered, Ponderosa pine, Tox-i-Sealed

3'0" x 3'3" for 32 x 16 wood windows or for Slide-A-Sash.....\$5.25 per pair

3'0" x 4'7" for 32 x 24 wood windows 7.00 per pair

3'0" x 6'9" for front door10.25 per pair



PORCH COLUMNS

Wood Porch Columns $5\frac{1}{8}$ " x 8', clear Douglas fir\$7.20 each

Ornamental Cast Iron Columns


Flat, Curly Oak design, $9\frac{1}{2}$ " x 8"*24.70 each

Corner, Curly Oak design, $9\frac{1}{2}$ " x $9\frac{1}{2}$ " x 8"*41.60 each

Flat, Vineyard design, $9\frac{1}{2}$ " x 8"*24.70 each

Corner, Vineyard design, $9\frac{1}{2}$ " x $9\frac{1}{2}$ " x 8"*41.60 each

*Can be cut to 7'3"



Ornamental Cast Iron Brackets 22" x 12"

Curly Oak design 5.35 each

Vineyard design 5.35 each

Ornamental Cast Iron Columns and Brackets are shipped separately — freight prepaid.



Curly Oak Bracket

alternates for all homes

Add to or deduct from base prices for Pease Homes (see page 73)

**plan
numbers**

ALUMINUM WINDOWS

- Aluminum Sliding Windows**, glazed DS in vinyl, with veined cream marble stools instead of standard wood windows, Slide-A-Sash, and/or Glass-Wall units and wood trim **add**
- Aluminum Screens for Aluminum Sliding Windows** **add**
- Aluminum Storm Sash**, glazed DS, for Aluminum Sliding Windows **add**


SCREENS and STORM SASH

for standard wood windows and Slide-A-Sash. Screens are included with Ventilating Glass-Wall units. Storm Sash are not available for Glass-Wall units or center section of Panorama windows and are not included in these prices.

- Aluminum Tension Screens**, complete with hardware **add**
- Wood Storm Sash**, 1½" 2 lt glazed, with hardware **add**
- Aluminum Combination Windows**, with 1 screen and 2 storm sections (all hardware included) **add**
- For wood or aluminum combination doors, see page 78.


	20 120	22 121 122	106	110	114	129 130	131 132	134	136	138	140	141	142	144	147 148	149 150	151
Aluminum Sliding Windows	\$ 31	\$ 6	\$ 83	\$ 92	\$ 29	\$ 31	not avail.	\$ 62	\$ 7	\$ 70	\$ 10	\$ 51	\$ 54	\$ 67	not avail.	not avail.	not avail.
Aluminum Screens for Aluminum Sliding Windows	76	84	63	76	64	91		63	64	76	76	60	62	63			
Aluminum Storm Sash, glazed DS, for Aluminum Sliding Windows	167	195	139	167	141	210		139	141	167	167	131	135	139			
Aluminum Tension Screens, complete with hardware	58	71	46	58	46	75	\$ 52	50	50	62	62	43	43	43	\$ 95	\$ 68	\$ 64
Wood Storm Sash, 1½" 2 lt glazed, with hardware	82	100	64	81	65	104	68	70	71	87	88	58	59	59	144	88	84
Aluminum Combination Windows, with 1 screen and 2 storm sections (all hardware included)	255	310	200	255	200	317	206	216	216	272	272	177	176	176	424	269	261

WINDOW VARIATIONS




#139 #140 (Std.) #142

Double Hung Window



Panorama Window



#144 (Std.) #145

Slide-A-Sash

Windows, Slide-A-Sash, Glass-Wall units, or Aluminum Sliding Windows may be SUBSTITUTED for standard units shown on base plans for DIFFERENCE in prices quoted in table below and on page 77. (When Blank Walls replace standard Window, Slide-A-Sash, Glass-Wall units, or Aluminum Sliding Windows shown on plans, DEDUCT instead of add.) Prices include trim, weatherstrip, and hardware.

Double Hung Window Sections in place of blank wall sections

- with single 32 x 16 window unit #139 (2 lt), #140 (4 lt) or #142 (16 lt) **add**
- with single 32 x 24 window unit #139 (2 lt), #140 (4 lt) or #142 (16 lt) **add**
- with twin 32 x 16 window unit #139 (2 lt), #140 (4 lt) or #142 (16 lt) **add**
- with twin 32 x 24 window unit #139 (2 lt), #140 (4 lt) or #142 (16 lt) **add**

Panorama Window Sections in place of blank wall sections

- With panorama window unit, center-sash 3'10½" x 4'6" 1 lt gla. DS.
Sides 20 x 24 windows* **add** 55.51
- If 12 lt (3W4H) Picture Sash #1434 gla. S.S. wanted
in place of one light center sash **add** \$ 2.00
- If 1" insulated plate glass wanted in place of one light center sash **add** \$46.40
- With panorama window unit-center 4'10½" x 4'6" 1 lt 1" insulated glass.
Sides 24 x 24 windows* **add** 115.88
- If 16 lt (4W4H) Picture Sash #1544 gla. S.S.
in place of 1" insulated glass center **deduct** \$51.95
- With panorama window unit-center 5'10½" x 4'6" 1 lt 1" insulated glass.
Sides 24 x 24 windows* **add** 134.92
- If 20 lt (5W4H) Picture Sash #1654 gla. S.S.
in place of 1" insulated glass center **deduct** \$69.45

*Side windows furnished in design #139, #140, or #142 (#140 shipped unless otherwise specified).

Slide-A-Sash Sections in place of blank wall sections

- with single 16 x 33 Slide-A-Sash unit #144 (4 lt) or #145 (2 lt) **add** 17.88
- with single 28 x 33 Slide-A-Sash unit #144 (4 lt) or #145 (2 lt) **add** 22.94
- with twin 16 x 33 Slide-A-Sash unit #144 (4 lt) or #145 (2 lt) **add** 34.96
- with twin 28 x 33 Slide-A-Sash unit #144 (4 lt) or #145 (2 lt) **add** 52.50

COMPLETE SECTION	ADD FOR:		
without Screens or Storm Sash	Tension Screens	Wood Storm Sash	Alum. Comb. Windows
\$20.89	\$ 3.35	\$ 4.66	\$16.30
21.89	3.85	5.96	16.30
41.02	6.70	9.32	32.60
43.00	7.70	11.92	32.60
55.51	6.00	8.82	32.60
115.88	6.50	9.72	32.60
134.92	6.50	9.72	32.60
17.88	3.35	4.91	17.30
22.94	5.35	6.96	20.95
34.96	6.70	9.82	34.60
52.50	10.70	13.92	41.90


GLASS-WALL UNITS




1W1H
Ventilating
#1461 or #1463




1W1H
Stationary
#1465 or #1467




1W2H
2 Ventilating
#1461 or
#1463




1W2H
2 Stationary
#1465 or
#1467




1W2H
1 Stationary
#2466 or
#2468



1W3H
3 Ventilating
#1461 or #1463



1W3H
3 Stationary
#1465 or #1467





1W3H
1 Stationary
#3466 or #3468

Glass-Wall Sections in place of blank wall sections (prices include stationary units, trim, and hardware)


with 1 single stationary unit opening 3'11¼" x 2'3¼"	add
with 2 stationary units 1 wide 2 high, total opening 3'11¼" x 4'6½"	add
with 3 stationary units 1 wide 3 high, total opening 3'11¼" x 6'9¾"	add
with 2 stationary units 2 wide 1 high, total opening 7'10½" x 2'3¼"	add
with 4 stationary units 2 wide 2 high, total opening 7'10½" x 4'6½"	add
with 6 stationary units 2 wide 3 high, total opening 7'10½" x 6'9¾"	add
with 3 stationary units 3 wide 1 high, total opening 11'9¾" x 2'3¼"	add
with 6 stationary units 3 wide 2 high, total opening 11'9¾" x 4'6½"	add
with 9 stationary units 3 wide 3 high, total opening 11'9¾" x 6'9¾"	add
Ventilating units (weatherstripped) may be substituted for any stationary units. For each ventilating unit, with aluminum screen	add
If one stationary unit 3'11¼" x 4'6½" is wanted in place of two stationary units 1 wide 2 high, each 3'11¼" x 2'3¼"	
Glazed 1 lt ¼" polished plate glass #2466	add 10.65
Glazed 1 lt 1" insulated glass #2468	add 38.65
If one stationary unit 3'11¼" x 6'9¾" is wanted in place of three stationary units 1 wide 3 high, each 3'11¼" x 2'3¼"	
Glazed 1 lt ¼" polished plate glass #3466	add 14.35
Glazed 1 lt 1" insulated glass #3468	add 56.20

COMPLETE SECTION Units Gla. D.S.		COMPLETE SECTION Units Gla. ½" Ins. Glass	
#1465	\$15.38	#1467	\$27.18
#1465	22.22	#1467	45.82
#1465	27.36	#1467	62.76
#1465	32.07	#1467	55.67
#1465	44.60	#1467	91.80
#1465	55.29	#1467	126.09
#1465	48.45	#1467	83.85
#1465	67.14	#1467	137.94
#1465	82.78	#1467	188.98
#1461	13.70	#1463	12.80
add	10.65	deduct	12.95
add	38.65	add	15.05
add	14.35	deduct	21.05
add	56.20	add	20.80


ALUMINUM SLIDING WINDOWS



3035, 4835
6035, 6041



Twin 4835
(All lights slide)



7141, 9141
(Center light fixed)

Aluminum Sliding Window Sections in place of blank wall sections (prices include hardware, and veined cream marble stool)

with #3035 Aluminum Sliding Window, opening 3'0" x 3'5"	
with #4835 Aluminum Sliding Window, opening 4'8" x 3'5"	
with Twin #4835 Aluminum Sliding Window, opening 9'4½" x 3'5"	
with #6035 Aluminum Sliding Window, opening 6'0" x 3'5"	
with #6041 Aluminum Sliding Window, opening 6'0" x 4'1"	
with #7141 Aluminum Sliding Window, opening 7'1½" x 4'1"	
with #9141 Aluminum Sliding Window, opening 9'1½" x 4'1"	

COMPLETE SECTION Windows Glazed D.S. only		ADD FOR:	
		Screen	Storm Sash
add	\$25.54	\$4.90	\$7.70
add	31.08	6.00	13.25
add	67.20	12.00	26.50
add	36.77	6.95	15.40
add	37.61	8.00	16.75
add	48.21	8.35	23.25
add	54.86	9.20	26.95

alternates for all homes

Add to or deduct from base prices for PEASE HOMES (see page 73)

EXTERIOR DOOR ALTERNATES

#297-D is glazed D.S., #303-A is glazed 1/4" polished plate, all other doors (except #297) glazed S.S. #286-G can be furnished with top light panelled (#286-P) at same price when specified.

Front Doors—3'0" x 6'8" x 1 3/4"—#297-L is standard for all plans.
For any of these doors in place of #297-L
Rear or Side Doors—2'8" x 6'8" x 1 3/4"—#297-D is standard for all plans. For any of these doors in place of #297-D


EXTERIOR DOOR VARIATIONS

Exterior doors may be SUBSTITUTED for standard windows shown on base plans for DIFFERENCE in prices quoted in table below and on pages 76-77. (When blank walls replace standard doors shown on plans, DEDUCT instead of add.)


Complete Door Sections (Exterior) in place of blank wall sections (prices include trim, weatherstrip and hardware)
with **FRONT** door unit 3'0" x 6'8" 1 3/4"add
with **SIDE LIGHT** door unit 3'0" x 6'8" 1 3/4" with two 1'2" side lights. (#293 door has side lights #293-S, all other doors have 1/4" Polished Plate glass side lights)add
with **REAR** or **SIDE** door unit 2'8" x 6'8" 1 3/4"add
When door is to be used for garage entry, and weatherstrip and sill are omitted, deduct \$5.00. If door is to be furnished **Swing Out** (S.O.), add \$1.00 for galvanized butts.

286-G Fir	293 Fir	297 Birch	297-A Birch	297-B Birch	297-D Birch	297-G Birch	297-L Birch	297-M Birch	297-N Birch	300 Pine	303-A Fir	314 Fir
deduct	deduct	deduct	deduct	deduct	deduct	deduct	deduct	add	deduct	deduct	add	deduct
\$ 2.60	\$ 1.70	\$ 8.00	\$ 1.30	\$ 4.40	\$ 2.10	\$ 5.30	standard	\$ 2.90	\$ 1.30	\$ 2.70	\$ 1.00	\$10.80
add	add	deduct	add	deduct	deduct	deduct	add	add	add	add	add	deduct
1.00	2.80	5.50	1.10	1.90	standard	2.80	\$ 2.50	5.30	1.10	1.00	2.00	8.00
44.67	45.57	39.27	45.97	42.87	45.17	41.97	47.27	50.17	45.97	44.57	48.27	36.47
84.71	85.61	79.31	86.01	82.91	85.21	82.01	87.31	90.21	86.01	84.61	88.31	76.51
44.27	46.07	37.77	44.37	41.37	43.27	40.47	45.77	48.57	44.37	44.27	45.27	35.27

COMBINATION DOORS




#293-S
Side
Light



4 ft Wood
Combination
Door,

2-8 x 6-8 or
3-0 x 6-8,
sash section glazed,
screen section wired
aluminum,
including
hardware


add \$19 each



Matched-Lite
Wood Combination
Door,

2-8 x 6-8 or
3-0 x 6-8,
screen section
wired aluminum,
with glass inserts,
including
hardware


add \$29 each




Aluminum
Combination
Door

2-8 x 6-8 or
3-0 x 6-8,
all-aluminum
screen sections,
sash sections
glazed,
including
hardware


add \$35 each




ALUMINUM SLIDING DOORS



Type XO



Type OXO



Type OXXO

Aluminum Sliding doors may be SUBSTITUTED for blank walls at the prices shown below, or may be SUBSTITUTED for standard windows and doors shown on base plans for DIFFERENCE in prices quoted on this page and pages 76-77. (When blank walls replace sliding doors shown on plans, DEDUCT instead of add). Aluminum sliding door units are shipped K.D., glass boxed.

Aluminum Sliding Door Sections in place of blank wall sections (prices include door, glass, weatherstrip, hardware, and sliding screen).

with type XO door, 6-0 x 6-9	add
with type OXO door, 9-0 x 6-9	add
with type OXXO door, 12-0 x 6-9	add
Cylinder Lock set	add

COMPLETE SECTION with 1/4" Plate Glass	COMPLETE SECTION with 1" Insulating Glass
\$190.91	\$256.36
250.82	352.12
354.96	485.86
8.40	8.40

alternates for all homes

Add to or deduct from base prices for Pease Homes (see page 73)

plan
numbers

INTERIOR VARIATIONS

Gypsum Lath (3/8" for walls, 1/2" for ceilings) for plaster in place of 1/2" plasterboard.....deduct	\$102	\$116	\$ 78	\$ 95	\$ 83	\$139	\$114	\$ 83	\$ 94	\$103	\$ 88	\$ 83	\$176	\$146	\$133
Foil Enclosed 2" Fiberglas Blanket Insulation for ceilings in place of plain insulation add	34	40	27	32	30	46	40	29	32	35	27	29	67	54	36
Plain 2" Fiberglas Blanket Insulation for outside walls add	56	59	45	54	48	68	65	47	54	57	45	47	97	94	68
Foil Enclosed 2" Fiberglas Blanket Insulation for outside walls add	88	93	71	85	76	107	103	74	85	89	71	74	152	147	107


INTERIOR DOOR VARIATIONS

1 3/8" Flush Gold Coast Cherry Doors #270 in place of #269 flush birch hinged and pocket doors*deduct	12	13	10	12	10	16	14	9	13	10	12	15	16	14	15
1 3/8" Louver Pine Doors #264 are available at same price as #269 birch.															


BI-PASSING CLOSET DOOR VARIATIONS

In place of 1 1/8", 7'8" high, louver doors.


3/4" Flush Birch Doors (U. S. Plywood Novoply solid core), 7'8" high* add	49	49	16	41	25	82	62	37	37	58	21	not avail.	78	101	107
1 3/8" Flush Birch Doors, 6'8" high with jambs and trim* add	45	48	22	44	23	89	70	32	34	55	33	not avail.	89	100	103
1 3/8" Louver Pine Doors, 6'8" high with jambs and trim add	20	23	11	21	11	47	36	13	15	27	21	not avail.	44	47	48
1 3/8" Flush Gold Coast Cherry Doors, 6'8" high with jambs and trim* add	37	40	20	38	19	81	62	26	28	48	30	not avail.	79	86	90
*Doors to heater rooms of odd numbered plans are always louver.															
Spacemaster (fabric covered) 8'0" folding closet doors for all bedroom closets only..... add	96	72	32	80	48	136	104	48	68	88	41	21	112	140	176
Spacemaster doors are finished "decorator gray" and may be repainted any color with a good rubber base paint.															
Modernfold Door Room Divider between living room and front bedroom in place of partition (plans 141, 142, and 144 only) in a choice of these colors: Opal, white, beige, ivory, seaspray, willow, celadon, and cherry. add											135	135			




1 1/8" Louver Doors
(Standard)




3/4" Flush Birch Doors



1 3/8" Flush Birch Doors
1 3/8" Flush Cherry Doors



Spacemaster Doors




Lau Niteair Attic Fan NA-303-R 30" with automatic ceiling shutter 32" x 38" (rated capacity of 6400 C.F.M. provides complete change of air each two minutes or less in any Pease Home.....add \$96.00 each


VENTILATING FANS

Bathroom Fan #728 (interior wall or ceiling type — duct work not included) 7" blade, 325 C.F.M., single speed, switch not included (similar to #1026 — see page 80) (included for inside Bath 2, plans 131, 132, 149, 150 and lavatory, plans 147-148)add \$17.00 each


BATHROOM CABINETS




#3654
(Std.)



#8424-15



#707



#F707

#8424-15 Hinged Door Bath Cabinet with 14 x 24 plate glass mirror, fluorescent side lights and door shelves, in place of #3654add	\$14.55
#707 Sliding Door Bath Cabinet with two 14 x 18 plate glass mirrors, in place of #3654add	11.55
#F707 Sliding Door Bath Cabinet with two 14 x 18 plate glass mirrors and fluorescent side lights, in place of #3654add	21.60
Steel Clothes Chute Door, 12 x 12 (not shown)add	2.70

alternates for all homes

Add to base prices for PEASE HOMES (see page 73)

plan
numbers

KITCHEN VARIATIONS in place of Scheirich Wood Cabinets with Metal Edged Formica Top

Alternate Kitchen Cabinet Arrangement — Scheirich Wood Cabinets — with Tappan built-in range (Lusterloy finish) and oven (Copperloy finish)..... add

Standard Kitchen Cabinet Arrangement with Geneva Steel Cabinets, any of 7 colors add

Alternate Kitchen Cabinet Arrangement — Geneva Steel Cabinets — any of 7 colors with Tappan built-in range and oven (both Lusterloy finish)..... add

Geneva Steel Cabinets are available in White, Sandalwood, Willow Green, Butter Yellow, Bricktone, Blossom Pink, and Potters Blue. All colors except White are shipped separately, freight prepaid. Orders for colors other than White must be released 4 weeks ahead of scheduled delivery and are not subject to change or cancellation after release.


Roll Formed Formica Sink and Cabinet Tops with coved 4" backsplash and rolled front edge in place of standard metal edged tops — certain colors see below —

For Standard Kitchen Cabinet Arrangement — wood or steel add

For Alternate Kitchen Cabinet Arrangement — wood or steel add

FORMICA TOP COLORS

These patterns and colors are available for both Metal Edged and Roll Formed tops:



Metal Edged Top

Skyark

Coral
Primrose
Aqua
Gray
Pink
Blue
White
Charcoal

Linen

Lipstick Red
Yellow
Green
Gray
Petal Pink
French Blue
Tan
Charcoal

Capri

Red
Primrose
Spruce
Cocoa
Gray
Charcoal

Milano

Pink
Antique
Gray

Wheat Oak
Black Oak
Natural Maple
Frost Walnut

Pearl


Cardinal
Primrose
Gulfstream
Gray

Picwood

Wheat Oak
Black Oak
Natural Maple
Frost Walnut

Moonglo

Red
Gray
Pink



Roll Formed Top

Moonglo

Yellow
Green

Marble

Green
Brown
Charcoal

Walnut

Tawny
Autumn


Picwood

Prima Vera
Claret Mahogany
Cherokee Mahogany
Sahara Mahogany
Platinum Mahogany
Shell Oak
Natural Oak
Brachen Maple
Modern Walnut

Plain Colors

Primrose
Citron
Pink
Gray
Pumpkin
Flame
Blossom Red
Cherry Red
Beige

Cocoa
White
French Blue
Aqua
Charcoal
Sprout Green
Spruce
Black



Waste King Pulverator

Stainless Steel Double Bowl Sink in place of porcelain on steeladd \$23

Porcelain on Cast Iron Double Bowl Sink in place of porcelain on steel.....add 26


Waste King Pulverator food waste disposer add 57

20												
106					134							
110	22				136							
114	121	129			138				147	149		
120	122	130	131	132	140	141	142	144	148	150	151	
\$318	\$318	\$318	\$318	\$318	\$313	\$373	\$364	\$373	\$315	\$341	\$338	
35	41	53	56	64	60	41	43	48	79	58	70	
370	376	381	383	391	379	439	425	446	407	409	417	
15	17	19	19	22	18	15	13	15	28	29	28	
16	19	21	21	24	19	19	17	19	30	30	30	


DISHWASHERS

Hobart KitchenAid Dishwasher (see page 53), 24" wide for under counter installation,
with Antique Copper front, in place of 24" wood cabinetadd \$213.95
with Stainless Steel front, in place of 24" wood cabinetadd 218.60
with White Front, in place of 24" steel cabinetadd 188.95
with Stainless Steel front, in place of 24" steel cabinetadd 210.30
These prices include demonstration and one year's service if requested.


RANGE HOODS and FANS



Wall Type
Ventilating Fan #1047



Duct Type
Ventilating Fan #1026



Range Hood and
Ventilating Fan

Range Hood and Ventilating Fan with special cabinet above in place of standard cabinet. 300 C.F.M. axial flow fan, twin light, filter, switch and back draft damper included. 7" round duct above cabinet not included.

36" or 42" Hood (Copper bond finish) and Fan, for wood cabinetsadd \$36.00

36" or 42" Stainless Steel Hood and Fan, for wood cabinetsadd 57.00

36" or 42" Hood (White finish) and Fan, for steel cabinetsadd 35.00

36" or 42" Stainless Steel Hood and Fan, for steel cabinetsadd 56.00

Kitchen Ventilating Fan #1026, (interior wall or ceiling type — duct work not included) 10" blade, 530 C.F.M., 3 speed, white grille, switch includedadd 26.75

Kitchen Ventilating Fan #1047, (direct exhaust exterior wall type) 10" blade, 650 C.F.M., single speed, white grille — pull chain — with shutteradd 22.25

PURCHASE ORDER

for a PEASE HOME

☐

REQUEST for QUOTATION

To: PEASE WOODWORK COMPANY
PEASE HOMES DIVISION
900 Forest Ave. — Hamilton, Ohio
Phone: Twinbrook 4-6583

From _____
Firm Name

By _____
If order, please SIGN IN INK

_____ Mail Address

_____ City _____ Zone _____ State _____

_____ Date _____ Office Phone _____ Home Phone _____

_____ Builder's Name

DELIVERY INFORMATION

- ☐ Please SHIP to:
☐ Quote Freight Charges to:
(Always specify County in which job site is located)

_____ Name

_____ Street and Number or Rail Siding

_____ City _____ County _____ State _____

Ship by ☐ TRUCK ☐ RAIL CARLOAD
If Rail Carload, specify
delivering railroad _____

- ☐ PREPAY Freight and Charge
☐ Ship Freight COLLECT

Subject to your Shipping Schedule deliver:

1st LOAD on or about _____

2nd LOAD on or about _____

3rd LOAD on or about _____

4th LOAD on or about _____

Please give us an address within city limits, to
which we may make separate shipments, if
necessary.

_____ Name

_____ Street Address

_____ City _____ State _____

_____ Suggested Delivering Freight Line

DRAW MAP HERE
SHOWING JOB LOCATION

Radio controls and key switches also available. Write for prices.
Electric operators are shipped separately — freight prepaid.

Credits		Prices
Totals Page 2		
" Page 3		
" Page 4		
COLUMN TOTALS		
Less "Credits" Column		
TOTAL COST OF HOME		
Less 2% for Cash with Order		
NET COST OF HOME, F.O.B. Hamilton, Ohio		
Less Plans (Order # _____)		
Less Sample Kit (Order # _____)		
NET TOTAL AMOUNT		
Ohio Customers please add 3% Sales Tax		
Shipping Charges (if Prepaid) for _____ loads		
TOTAL AMOUNT		
REMITTANCE ATTACHED		
Remit by Personal Check, Bank or Cashier's Check		
Express or P.O. Money Order—never in Cash		

BE SURE TO LIST ALL SPECIFICATIONS CAREFULLY AND ACCURATELY

garages and garage extras

(See pages 56-57)

Add to base prices for Pease Homes (see page 73)
(Carports are priced with Side Porches, see page 82)

GARAGE TYPE

DETACHED GARAGES

One Car		Two Car		One Car		Two Car		One Car		Two Car		One Car		Two Car	
D 2412	D 2416	D 2420	D 2424	A 1224	A 1624	A 2024	A 2424	A 1226	A 1626	A 2026	A 2426	A 2412	A 2416	A 2420	A 2424

ATTACHED GARAGES

Page 4

ATTACHMENT SPECIFICATIONS

EXTENSION _____ ft. to _____ end of home — _____ ft. to _____ end of home
including: ☐ Wood Floor — Same as home ☐ Other
ROOF PITCH & CORNICE ☐ Same as home ☐ Other
_____ Sq. Ft. ☐ BroadSides ☐ Flexboard ☐ 1/2 x 8 ☐ 3/4 x 10 ☐ 1 x 10 ☐ 1 x 4
(list windows, Slide-A-Sash, Glass-Wall Units, Doors, etc., under "home" pp 2-3)
INTERIOR WALL SURFACES ☐ Same as home ☐ Other
☐ Insulation — Same as home ☐ Other

DETACHED GARAGE

To be attached to home on
☐ Slab
☐ Basement or Crawl

☐ D2412 ☐ D2416 ☐ D2420 ☐ D2424
☐ A1224 ☐ A1624 ☐ A2024 ☐ A2424
☐ A1226 ☐ A1626 ☐ A2026 ☐ A2426
☐ A2412 ☐ A2416 ☐ A2420

SKETCH GARAGE LOCATION BELOW

☐ Include Covered Entry (Plans 131-132)

*ROOF PITCH and Level Cornice: ☐ Same as home ☐ Other
SIDING ☐ Same as home ☐ Other

(list Gable & Siding variations under "home" page 2)

(list Windows, Slide-A-Sash, Glass-Wall Units, Doors, etc., under "home" pp 2-3)

GARAGE DOORS ☐ 9' x 7' 10 pan. ☐ 9' x 7' 30 pan. ☐ 16' x 7' 20 pan. ☐ 16' x 7' 50 pan.
Garage Door Operators _____
☐ Furnish Gypsum Lath & Accessories _____ Cupola with ☐ Rooster ☐ Doctor

BREEZEWAY

☐ B1212 ☐ B1224 ☐ B1624 ☐ B1226 ☐ B1626
☐ OPEN with _____ Wood Cols. _____ Curly Oak Cast Iron Cols. _____ Vineyard Cast Iron Cols.
☐ ENCLOSED to form a permanent room (includes Interior Door) _____ Cast Iron Brackets
*ROOF PITCH & Cornice ☐ Same as home ☐ Other
SIDING ☐ Same as home ☐ Other

(list Windows, Slide-A-Sash, Glass-Wall Units, Doors, etc., under "home" pp 2-3)

INT. WALL SURFACES (Enclosed only) ☐ Same as home ☐ Other

INSULATION (Enclosed only) ☐ Same as home ☐ Other

SIDE PORCH

☐ P1224 ☐ P1226 with Wood Columns
*ROOF PITCH & Cornice ☐ Same as home ☐ Other

FRONT PORCH

☐ P612 (for plans 20, 120, 140) ☐ P812 (for plans 110, 138)
with _____ Wood Cols. _____ Curly Oak Cols. _____ Vineyard Cols. _____ Cast Iron Brackets
(Roof Pitch, Level Cornice, and Gable Cornice will be same as Home)

FULL FRONT PORCH

with Curved Lintels, Wood Columns, & Built-up Roofing
(can be used only with 5-12 roof — 14" level cornice projection)

☐ P2012 (for plans 22, 110, 121, 122, 129, 130, 133) ☐ P2212 (plans 20, 120, 140)

*If HIP ROOF, attachment must be SAME DEPTH as HOME.

SKETCH HOME AND ATTACHMENTS HERE

(Indicate Window and Door Locations)



PEASE HOMES



PEASE WOODWORK COMPANY • 900 FOREST AVENUE • HAMILTON, OHIO